Classified for "RESTRICTED USE" in New York State under 6NYCRR Part 326 ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

DOC ID:565055

Oct. 31, 2019

New York State Department of Environmental Conservation Division of Materials Management Pasticida Promot Pagistration

Aquashade entry and the second entry and the second

Aquatic Plant Growth Control

For Use In

Natural and Manmade Contained Lakes and Ponds (Ornamental, Recreational, Fish Bearing & Fish Farming Bodies) With Little or No Outflow of Water.

AQUASHADE CONTAINS A BLEND OF BLUE AND YELLOW DYES DESIGNED TO ABSORB SPECIFIC WAVELENGTHS OF LIGHT CRITICAL TO PLANT PHOTOSYNTHESIS.

ACTIVE INGREDIENTS:

Acid Blue 9*	
Acid Yellow 23**	
OTHER INGREDIENTS	
TOTAL	
Contains 1 11 lbs of Frioglaucine* and 0 09	lbs_ofTartrazine** as

Pure Dye Content per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Precautionary Statements and First Aid on panel.

NET CONTENTS:







FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

EMERGENCY NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In case of an emergency call 1-800-654-6911

For help with a spill, leak, fire or exposure involving this material call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS Shoreline non-target plants (cattails, water lilies) may suffer contact burn if accidently poured on them.

PHYSICAL AND CHEMICAL HAZARDS Color and effectiveness of Aquashade will be lost in waters containing active chlorine residual such as treated swimming ponds, fountains and water features. Concentrated product can stain fabric and other porous surfaces. Avoid direct contact with these materials.

PERMITS Some states may require permits for application of this product to public waters or to bodies of water discharging into public waters. Check with your local authorities.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not refill or reuse container. Triple rinse (or equivalent) promptly after emptying. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or by other procedures approved by State and Local authorities.

CONTAINER DISPOSAL: Refillable container. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with pump for 2 minutes. Pour or pump rinsate into application equipment or pumt rinsate rinso proved responsibility or recorditioning if available or puncture and dispose of in approved landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult Federal, State or local authorities for approved alternative procedures.

Part No. 5916690

Sold By: Applied Biochemists (Aquashade) 1400 Bluegrass Lakes Parkway Alpharetta GA 30004 1-800-558-5106



U.S. Pat. No. 4,042,367 EPA Reg. No. 33068-1 EPA Est. No. 42291-GA-1 EPA Est. No. 82299-GA-001

Aquashade is a trademark of Innovative Water Care, LLCor its affiliates.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply directly to streams, other natural bodies of water, or any body of water not under total control of the user. Do not apply to water that will be used for human consumption.

PRODUCT INFORMATION

Aquashade contains a blend of blue and yellow dyes designed to absorb specific wavelengths of light critical to plant photosynthesis. Treated water will retain a light aqua-blue tint following application.

WHERE TO USE

For use in: Natural and Manmade contained lakes and ponds (ornamental, recreational, fish bearing or fish farming) with little or no outflow of water, golf course ponds, and watering turf.

WHEN TO USE

For best results, apply Aquashade as a pre-emergent (prior to plant germination) before the growing season. Aquashade may even be applied directly onto ice cover, (where applicable). Use during the growing season will suppress the rate and extent of underwater growth, but may not eliminate it. Aquashade has reduced effectiveness in waters less than 2 feet deep and on matured submersed aquatic plants. It does not control floating algae mats, free floating plants, or emergent (shoreline) vegetation. These plants can be physically removed or treated with an appropriate EPA registered aquatic herbicide or algaecide if more complete control is desired. When using algaecides or aquatic herbicides, always follow label restrictions, precautions and directions for use.

Either allow at least one hour for Aquashade to disperse throughout the water body before using water for **swimming**, **irrigation or livestock watering** *or* avoid pouring concentrate within 50 ft. of these intake/use areas, allowing dye to self-disperse into them.

HOW TO APPLY

Measure out required amount of Aquashade into a pourable container or apply directly from the product container by pouring around shoreline water and/or in offshore areas from a boat. Aquashade will mix throughout the water on its own, however, more widespread application or aeration devices/ fountains will provide quicker dispersion. In freezing climates, Aquashade may be poured onto the ICE in a 3 foot (1 meter) diameter circle it will melt a hole and disperse underneath. (Be certain ice conditions are safe before making application.)

HOW MUCH TO USE:

1. Calculate total volume of your water body into Gallons (Liters) or Acre-Feet (Cubic Meters):

Length (ft.) x Width (ft.) x Avg. Depth (ft.) x 7.5 = Gallons

 $\frac{\text{Length (ft.) x Width (ft.) x Avg. Depth (ft.)}}{43.560} = \text{Acre-Feet}$

Avg. Depth can be determined by taking a number of depth readings and calculating the average or estimated as 1/2 the maximum depth in evenly contoured bodies of water.

Dosage Rates for Aquashade*					
Aquashade (ppm)	0.5	0.8	1.5	2.0	
Total Volume					
10,000 gal	0.6 oz.	1.0 oz.	1.8 oz.	2.4 oz.	
(<i>37,850 L</i>)	18 mL	30 mL	54 mL	72 mL	
1 Acre-foot (326,000 gal)	20 oz.	32 oz.	60 oz.	80 oz.	
1,234 cubic meters	0.6 L	0.95 L	1.8 L	2.4 L	
4 Acre-feet (1.3M gal.)	80 oz.	1 gal.	1.9 gal.	2.5 gal.	
4,936 cubic meters	2.4 L	3.8 L	7.2 L	9.6 L	

2. Based upon water volume, determine dosage rate from the chart below.

*Use the lower (0.5-0.8 ppm) rates early for suppression of submersed plants (Leafy Pondweed, Chara, Slender Naiad, Watermilfoil, Hydrilla) and Filamentous Green (Spirogyra sp.) and Bluegreen algae growing at depths greater than 2 feet of the surface. Use higher rates (1.5-2.0 ppm) in shallow waters or in-season where growth is within 2 feet of surface.

 Apply in season maintenance dosages, as needed, to restore loss of color due to dilution or dye degradation.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

EMERGENCY NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In case of an emergency call 1-800-654-6911

For help with a spill, leak, fire or exposure involving this material call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eves, skin, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS Shoreline non-target plants (cattails, water lilies) may suffer contact burn if accidently poured on them.

PHYSICAL AND CHEMICAL HAZARDS Color and effectiveness of Aquashade will be lost in waters containing active chlorine residual such as treated swimming ponds, fountains and water features. Concentrated product can stain fabric and other porous surfaces. Avoid direct contact with these materials

PERMITS Some states may require permits for application of this product to public waters or to bodies of water discharging into public waters. Check with your local authorities.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Keep from freezing. PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not refill or reuse container. Triple rinse (or equivalent) promptly after emptying. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or by other procedures approved by State and Local authorities.

CONTAINER DISPOSAL: Refillable container. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill container about 10 percent full with water. Agitate vigorously or recirculate water with pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat rinsing procedure two more times. Then offer for recycling or reconditioning if available or puncture and dispose of in approved landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult Federal, State or local authorities for approved alternative procedures.

Part No. 5916690

Sold By: Applied Biochemists (Aquashade) 1400 Bluegrass Lakes Parkway Alpharetta GA 30004 1-800-558-5106



Aquashade is a trademark of Innovative Water Care, LLCor its affiliates.

Classified for "RESTRICTED USE" in New York State under 6NYCRR Part 326

DOC ID: 565055

Aquashade[®]

Aquatic Plant Growth Control

For Use In

Natural and Manmade Contained Lakes and Ponds (Ornamental, Recreational, Fish Bearing & Fish Farming Bodies) With Little or No Outflow of Water.

AQUASHADE CONTAINS A BLEND OF BLUE AND YELLOW DYES DESIGNED TO ABSORB SPECIFIC WAVELENGTHS OF LIGHT CRITICAL TO PLANT PHOTOSYNTHESIS.

ACTIVE INGREDIENTS:

Acid Blue 9*	12.60%
Acid Yellow 23**	1.04%
OTHER INGREDIENTS	
TOTAL	
Contains 1.11 lbs. of Erioglaucine* and 0.09 lbs. of	of Tartrazine** as
Pure Dye Content per gallon.	

KEEP OUT OF REACH OF CHILDREN



See Precautionary Statements and First Aid on panel.

NET CONTENTS:

30 GALLONS SKU No. 390730 **275 GALLONS** RETURNABLE SKU No. 13276A



ACCEPTED VIA NOTIFICATION LABEL NOT REVIEWED

Oct. 31, 2019

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply directly to streams, other natural bodies of water, or any body of water not under total control of the user. Do not apply to water that will be used for human consumption.

PRODUCT INFORMATION

Aquashade contains a blend of blue and yellow dyes designed to absorb specific wavelengths of light critical to plant photosynthesis. Treated water will retain a light aqua-blue tint following application.

WHERE TO USE

For use in: Natural and Manmade contained lakes and ponds (ornamental, recreational, fish bearing or fish farming) with little or no outflow of water, golf course ponds, and watering turf.

WHEN TO USE

For best results, apply Aquashade as a pre-emergent (prior to plant germination) before the growing season. Aquashade may even be applied directly onto ice cover, (where applicable). Use during the growing season will suppress the rate and extent of underwater growth, but may not eliminate it. Aquashade has reduced effectiveness in waters less than 2 feet deep and on matured submersed aquatic plants. It does not control floating algae mats, free floating plants, or emergent (shoreline) vegetation. These plants can be physically removed or treated with an appropriate EPA registered aquatic herbicide or algaecide if more complete control is desired. When using algaecides or aquatic herbicides, always follow label restrictions, precautions and directions for use.

Either allow at least one hour for Aquashade to disperse throughout the water body before using water for swimming, irrigation or livestock watering or avoid pouring concentrate within 50 ft. of these intake/use areas, allowing dye to self-disperse into them.

HOW TO APPLY

Measure out required amount of Aquashade into a pourable container or apply directly from the product container by pouring around shoreline water and/or in offshore areas from a boat. Aguashade will mix throughout the water on its own, however, more widespread application or aeration devices/ fountains will provide guicker dispersion. In freezing climates, Aguashade may be poured onto the ICE in a 3 foot (1 meter) diameter circle it will melt a hole and disperse underneath. (Be certain ice conditions are safe before making application.)

HOW MUCH TO USE:

1. Calculate total volume of your water body into Gallons (Liters) or Acre-Feet (Cubic Meters):

Length (ft.) x Width (ft.) x Avg. Depth (ft.) x 7.5 = Gallons

<u>Length (ft.) x Width (ft.) x Avg. Depth (ft.)</u> = Acre-Feet

Avg. Depth can be determined by taking a number of depth readings and calculating the average or estimated as 1/2 the maximum depth in evenly contoured bodies of water.

Dosage Rates for Aquashade*						
Aquashade (ppm)	0.5	0.8	1.5	2.0		
Total Volume						
10,000 gal	0.6 oz.	1.0 oz.	1.8 oz.	2.4 oz.		
(37,850 L)	18 mL	30 mL	54 mL	72 mL		
1 Acre-foot (326,000 gal)	20 oz.	32 oz.	60 oz.	80 oz.		
1,234 cubic meters	0.6 L	0.95 L	1.8 L	2.4 L		
4 Acre-feet (1.3M gal.)	80 oz.	1 gal.	1.9 gal.	2.5 gal.		
4,936 cubic meters	2.4 L	3.8 L	7.2 L	9.6 L		

2. Based upon water volume, determine dosage rate from the chart below.

*Use the lower (0.5-0.8 ppm) rates early for suppression of submersed plants (Leafy Pondweed, Chara, Slender Naiad, Watermilfoil, Hydrilla) and Filamentous Green (Spirogyra sp.) and Bluegreen algae growing at depths greater than 2 feet of the surface. Use higher rates (1.5-2.0 ppm) in shallow waters or in-season where growth is within 2 feet of surface.

3. Apply in season maintenance dosages, as needed, to restore loss of color due to dilution or dye degradation.